

## Bibliography

### Compiled by Ann Wintle

---

#### From 1st July 2005 to 31st December 2005

- Adamiec, G., Garcia-Talavera, M., Bailey, R. M., and de la Torre, P. (2004). Application of a genetic algorithm to finding parameter values for numerical simulation of quartz luminescence. *Geochronometria* **23**, 9-14.
- Anders, M. D., Pederson, J. L., Rittenour, T. M., Sharp, W. D., Gosse, J. C., Karlstrom, K. E., Crossey, L. J., Goble, R. J., Stockli, L., and Yang, G. (2005). Pleistocene geomorphology and geochronology of eastern Grand Canyon: linkages of landscape components during climate changes. *Quaternary Science Reviews* **24**, 2428-2448.
- Attanasio, D., Platania, R., and Rocchi, P. (2005). The marble of David of Michelangelo: a multi-method analysis of provenance. *Journal of Archaeological Science* **32**, 1369-1377.
- Bailiff, I. K., Stepanenko, V. F. et al. (2005). Retrospective luminescence dosimetry: development of approaches to application in populated areas downwind of the Chernobyl NPP. *Health Physics* **89**, 233-246.
- Ballarini, M., Wallinga, J., Duller, G. A. T., Brouwer, J. C., Bos, A. J. J., and Van Eijk, C. W. E. (2005). Optimizing detection filters for single-grain optical dating of quartz. *Radiation Measurements* **40**, 5-12.
- Boardman, J. B., Holmes, P. J., Rhodes, E. J., and Bateman, M. D. (2005). Colluvial fan gravels, depositional environments and luminescence dating: A Karoo case study. *South African Geographical Journal* **87**, 73-79.
- Briant, R. M., Bateman, M. D., Coope, G. R., and Gibbard, P. L. (2005). Climatic control on Quaternary fluvial sedimentology of a Fenland Basin river, England. *Sedimentology* **52**, 1397-1423.
- Burbidge, C. I., Duller, G. A. T. and Roberts, H. M. (2006).  $D_e$  determination for young samples using the standardised OSL response of coarse-grained quartz. *Radiation Measurements* **41**, 278-288.
- Busschers, F. S., Weerts, H. J. T., Wallinga, J., Cleveringa, P., Kasse, C., de Wolf, H., and Cohen, K. M. (2005). Sedimentary architecture and optical dating of Middle and Late Pleistocene Rhine-Meuse deposits - fluvial response to climate change, sea-level fluctuation and glaciation. *Netherlands Journal of Geosciences* **84**, 25-41.
- Chang, H., Zhang, P. Z., An, Z. S., Wang, X. L., Qiang, X. K., and Fu, C. F. (2005). Formation of the Yazi Spring Stream and its significance on tectonics-climate on the northern slope of Kunlun Mountains. *Chinese Science Bulletin* **50**, 2063-2068.
- Chruscinska, A., Lankauf, K. R., Luc, M., Oczkowski, H. L., Przegietka, K. R., and Szmarda, J. B. (2004). Evolution of St. Laurent Mountain near Chelmno based on luminescence. *Geochronometria* **23**, 27-34.
- Chruscinska, A., and Przegietka, K. R. (2005). Quartz TL decay due to optical bleaching. *Geochronometria* **24**, 1-6.
- Coppa, A., Grün, R., Stringer, C., Eggins, S., and Vargiu, R. (2005). Newly recognized Pleistocene human teeth from Tabun Cave, Israel. *Journal of Human Evolution* **49**, 301-315.
- De Corte, F., Umans, H., Vandenberghe, D., De Wispelaere, A., and Van den Haute, P. (2005). Direct gamma-sepectrometric measurement of the  $^{226}\text{Ra}$  186.2 keV line for detecting  $^{238}\text{U}/^{226}\text{Ra}$  disequilibrium in determining the environmental dose rate for the luminescence dating of sediments. *Applied Radiation and Isotopes* **63**, 589-598.
- Fattah, M., and Stokes, S. (2005). Dating unheated quartz using a single aliquot regeneration-dose red thermoluminescence protocol (SAR RTL). *Journal of Luminescence* **115**, 19-31.
- Filho, L. T., Ferraz, G. M., and Watanabe, S. (2005). EPR and TL studies of phenakite crystal and application to dating. *Nuclear Instruments and Methods B* **229**, 253-260.

- Forman, S. L., Marin, L., Pierson, J., Gomez, J., Miller, G. H., and Webb, R. S. (2005). Aeolian sand depositional records from western Nebraska: landscape response to droughts in the past 1500 years. *The Holocene* **15**, 973-981.
- French, H. M., Demitroff, M., and Forman, S. L. (2005). Evidence for Late-Pleistocene thermokarst in the New Jersey Pine Barrens (Latitude 39 degrees N), Eastern USA. *Permafrost and Periglacial Processes* **16**, 173-186.
- Fuchs, M., and Wagner, G. A. (2005). The chronostratigraphy and geoarchaeological significance of an alluvial geoarchive: comparative OSL and AMS C-14 dating from Greece. *Archaeometry* **47**, 849-860.
- Gell, P. A., Bulpin, S., Wallbrink, P., Hancock, G., and Bickford, S. (2005). Tareena Billabong - a palaeolimnological history of an ever-changing wetland, Chowilla floodplain, lower Murray-Darling basin, Australia. *Marine and Freshwater Research* **56**, 441-456.
- Godfrey-Smith, D. I., Bouchet-Bert, L., Von Bitter, P. H., and Storck, P. L. (2005). Thermal activation characteristics and thermoluminescence of chert from the red wing, Ontario region, and its putative heat treatment in prehistory. *Geochronometria* **24**, 13-20.
- Godfrey-Smith, D. I., Scallion, P., and Clarke, M. L. (2005). Beta dosimetry of potassium feldspars in sediment extracts using imaging microprobe analysis and beta counting. *Geochronometria* **24**, 7-12.
- Goedcke, C. (2006). Assessments of environmental dose rates in luminescence readers using  $\alpha$ -Al<sub>2</sub>O<sub>3</sub>:C. *Radiation Measurements* **41**, 36-39.
- Greilich, S., Glasmacher, U. A., and Wagner, G. A. (2005). Optical dating of granitic stone surfaces. *Archaeometry* **47**, 645-665.
- Grün, R., Stringer, C., McDermott, F., Nathan, R., Porat, N., Robertson, S., Taylor, L., Mortimer, G., Eggins, S., and McCulloch, M. (2005). U-series and ESR analyses of bones and teeth relating to human burials from Skhul. *Journal of Human Evolution* **49**, 316-334.
- Harrison, R. W., Newell, W. L., Bathani, H., Panayides, I., McGeehin, J. P., Mahan, S. A., Ozhur, A., Tsiolakis, E., and Necdet, M. (2004). Tectonic framework and Late Cenozoic tectonic history of the northern part of Cyprus: implications for earthquake hazards and regional tectonics. *Journal of Asian Earth Sciences* **23**, 191-210.
- Hashimoto, T., Yawata, T., and Takano, M. (2005). Comparison of naturally accumulated radiation-doses between RTL, BTL, OSL, and IRSL using white minerals from burnt archaeological materials and usefulness of RTL-dating from quartz extracts. *Geochemical Journal* **39**, 201-212.
- Hassan, G. M., and Sharaf, M. A. (2006). Uncertainties in low  $\gamma$ -dose determinations by means of ESR using the biomaterial modern coral reef. *Radiation Measurements* **41**, 48-54.
- Hawke, R. M., and McConchie, J. A. (2005). The source, age, and stabilisation of the Koputaroa dunes, Otaki-Te Horo, New Zealand. *New Zealand Journal of Geology and Geophysics* **48**, 517-522.
- Hong, D. G., Kim, M. J., Choi, J. H., El-Faramawy, N. A., and Göksu, H. Y. (2006). Equivalent dose determination of single aliquot regenerative-dose (SAR) protocol using thermoluminescence on heated quartz. *Nuclear Instruments and Methods B* **243**, 174-178.
- Hong, D. G., Kim, M. J., Yawata, T., and Hashimoto, T. (2005). Optimum aluminum absorber thickness of a small X-ray irradiator for equivalent dose determination. *Journal of Radioanalytical and Nuclear Chemistry* **265**, 495-498.
- Jacobs, Z., Duller, G. A. T., and Wintle, A. G. (2006). Interpretation of single grain D<sub>e</sub> distributions and calculation of D<sub>e</sub>. *Radiation Measurements* **41**, 264-277.

- Kalchgruber, R., and Wagner, G. A. (2006). Separate assessment of natural beta and gamma dose-rates with TL from  $\alpha$ -Al<sub>2</sub>O<sub>3</sub>:C single-crystal chips. *Radiation Measurements* **41**, 154-162.
- Kehl, M., Frechen, M., and Skowronek, A. (2005). Paleosols derived from loess and loess-like sediments in the Basin of Persepolis, Southern Iran. *Quaternary International* **140/141**, 135-149.
- Khan, S. H., Parkash, B., and Kumar, S. (2005). Soil-landform development of a part of the fold belt along the eastern coast of Bangladesh. *Geomorphology* **71**, 310-327.
- Kitis, G., Cruz Zaragoza, E., and Furetta, C. (2005). Thermoluminescence properties of Chile Guajillo (paprika) Mexicano. *Applied Radiation and Isotopes* **63**, 247-254.
- Lai, Z. P. (2006). Testing the use of an OSL standardised growth curve (SGC) for D<sub>e</sub> determination on quartz from the Chinese Loess Plateau. *Radiation Measurements* **41**, 9-16.
- Lai, Z. P., Murray, A. S., Bailey, R. M., Huot, S., and Bøtter-Jensen, L. (2006). Quartz red TL SAR equivalent dose overestimation for Chinese loess. *Radiation Measurements* **41**, 114-119.
- Larsson, C., Koslowsky, V., Gao, H., Khanna, S., and Estan, D. (2005). Optically stimulated luminescence in forensics. *Applied Radiation and Isotopes* **63**, 689-695.
- Lepper, K., and Scott, G. F. (2005). Late Holocene aeolian activity in the Cimarron River valley of west-central Oklahoma. *Geomorphology* **70**, 42-52.
- Leung, P. L., Tang, Q., Li, M., and Zhang, C. X. (2005). The preliminary application of OSL in comparison with TL for authentication of ancient Chinese bricks. *Radiation Measurements* **40**, 1-4.
- Li, B., and Li, S. H. (2006). Comparison of D<sub>e</sub> estimates using the fast component and medium component of quartz OSL. *Radiation Measurements* **41**, 125-136.
- Li, H. B., Van der Woerd, J., Tappognier, P., Klinger, Y., Qi, X. X., Yang, J. S., and Zhu, Y. T. (2005). Slip rate on the Kunlun fault at Hongshui Gou, and recurrence time of great events comparable to the 14/11/2001, Mw~7.9 Kokoxili earthquake. *Earth and Planetary Science Letters* **237**, 285-299.
- Litchfield, N. J., and Berryman, K. R. (2005). Correlation of fluvial terraces within the Hikurangi Margin, New Zealand: implications for climate and baselevel controls. *Geomorphology* **68**, 291-313.
- Lu, H. Y., Miao, X. D., Zhou, Y. L., Mason, J., Swinehart, J., Zhang, J. F., Zhou, L. P., and Yi, S. W. (2005). Late Quaternary aeolian activity in the Mu Us and Otindag dune fields (north China) and lagged response to insolation forcing. *Geophysical Research Letters* **32**, doi:10.1029/2005GL024560.
- Matmon, A., Shaked, Y., Porat, N., Enzel, Y., Finkel, R., Lifton, N., Boaretto, E., and Agnon, A. (2005). Landscape development in an hyperarid sandstone environment along the margins of the Dead Sea fault: implications from dated rock falls. *Earth and Planetary Science Letters* **240**, 803-817.
- Moska, P., Poreba, G. J., and Bluszcz, A. (2004). The influence of Cesium activity on the annual dose for OSL dating. *Geochronometria* **23**, 15-19.
- Munyikwa, K. (2005). The role of dune morphogenetic history in the interpretation of linear dune luminescence chronologies: a review of linear dune dynamics. *Progress in Physical Geography* **29**, 317-336.
- Munyikwa, K. (2005). Synchrony of Southern Hemisphere Late Pleistocene arid episodes: a review of luminescence chronologies from arid aeolian landscapes south of the Equator. *Quaternary Science Reviews* **24**, 2555-2583.
- Nanson, G. C., Jones, B. G., Price, D. M., and Pietsch, T. J. (2005). Rivers turned to rock: Late Quaternary alluvial induration influencing the behaviour and morphology of an anabranching river in the Australian monsoon tropics. *Geomorphology* **70**, 398-420.

- Ogundare, F. O., Balogun, F. A., and Hussain, L. A. (2005). Heating rate effects on the thermoluminescence of fluorite. *Radiation Measurements* **40**, 60-64.
- Owen, L., and Benn, D. I. (2005). Equilibrium-line altitudes of the Last Glacial Maximum for the Himalaya and Tibet: an assessment and evaluation of results. *Quaternary International* **138**, 55-78.
- Pace, B., Stirling, M. W., Litchfield, N. J., and Rieser, U. (2005). New active fault data and seismic hazard estimates for west Otago, New Zealand. *New Zealand Journal of Geology and Geophysics* **48**, 75-83.
- Pant, R. K., Basavaiah, N., Juyal, N., Saini, N. K., Yadava, M. G., Appel, E., and Singhvi, A. K. (2005). A 20-ka climate record from Central Himalayan loess deposits. *Journal of Quaternary Science* **20**, 485-492.
- Park, J. S., Nakamura, T., and Price, D. M. (2005). Estimation of the age of a pre-industrial iron site in Korea. *Archaeometry* **47**, 861-868.
- Poreba, G. J., and Fedorowicz, S. (2005). Gamma spectrometry for OSL and TL dating of loess deposits at Dybawka and Tarnawce (SE Poland). *Geochronometria* **24**, 27-32.
- Preusser, F., Andersen, B. G., Denton, G. H., and Schlüchter, C. (2005). Luminescence chronology of Late Pleistocene glacial deposits in North Westland, New Zealand. *Quaternary Science Reviews* **24**, 2207-2227.
- Preusser, F., Drescher-Schneider, R., Fiebig, M., and Schlüchter, C. (2005). Re-interpretation of the Meikirch pollen record, Swiss Alpine Foreland, and implications for Middle Pleistocene chronostratigraphy. *Journal of Quaternary Science* **20**, 607-620.
- Radtke, U., and Schellmann, G. (2005). Timing and magnitude of sea level change during MIS 5 derived from Barbados coral reef terraces: a critical literature review and new data. *Journal of Coastal Research* **42**, 52-62.
- Ree, J. H., and Kwon, S. T. (2005). The Wangsan Fault: one of the most "active" faults in South Korea? *Geosciences Journal* **9**, 223-226.
- Reheis, M. C., Reynolds, R. L., Goldstein, H., Roberts, H. M., Yount, J. C., Axford, Y., Cummings, L. S., and Shearin, N. (2005). Late Quaternary eolian and alluvial response to paleoclimate, Canyonlands, southeastern Utah. *Geological Society of America Bulletin* **117**, 1051-1069.
- Rink, W. J., and Bartoll, J. (2005). Dating the geometric Nasca lines in the Peruvian desert. *Antiquity* **79**, 390-401.
- Rink, W. J., and Forrest, B. (2005). Dating evidence for the accretion history of beach ridges on Cape Canaveral and Merritt Island, Florida, USA. *Journal of Coastal Research* **21**, 1000-1008.
- Rittenour, T. M., Goble, R. J., and Blum, M. D. (2005). Development of an OSL chronology for Late Pleistocene channel belts in the lower Mississippi valley, USA. *Quaternary Science Reviews* **24**, 2539-2554.
- Rodnight, H., Duller, G. A. T., Tooth, S., and Wintle, A. G. (2005). Optical dating of a scroll-bar sequence on the Klip River, South Africa, to derive the lateral migration rate of a meander bend. *The Holocene* **15**, 802-811.
- Roque, C., Guibert, P., Duttine, M., Vartanian, E., Chapoulie, R., and Bechtel, F. (2004). Dependence of luminescence characteristics of irradiated quartz with the thermal treatment and consequences for TL dating. *Geochronometria* **23**, 1-8.
- Rowland, J. C., Lepper, K., Dietrich, W. E., Wilson, C. J., and Sheldon, R. (2005). Tie channel sedimentation rates, oxbow formation age and channel migration rate from optically stimulated luminescence (OSL) analysis of floodplain deposits. *Earth Surface Processes and Landforms* **30**, 1161-1179.

- Schokker, J., Cleveringa, P., Murray, A. S., Wallinga, J., and Westerhoff, W. E. (2005). An OSL dated Middle and Late Quaternary sedimentary record in the Roer Valley Graben (southeastern Netherlands). *Quaternary Science Reviews* **24**, 2243-2264.
- Singarayer, J. S., Bailey, R. M., Ward, S., and Stokes, S. (2005). Assessing the completeness of optical resetting of quartz OSL in the natural environment. *Radiation Measurements* **40**, 13-25.
- Siyanbola, W. O., Fasasi, M. K., Ogundare, F. O., and Owolabi, S. A. (2005). Effects of gamma-irradiation on the TL characteristics of pre-annealed natural ZrSiO<sub>4</sub>. *Nuclear Instruments and Methods B* **239**, 407-413.
- Stokes, S., and Bray, H. E. (2005). Late Pleistocene eolian history of the Liwa region, Arabian Peninsula. *Geological Society of America Bulletin* **117**, 1466-1480.
- Tanir, G., Sencan, E., Bolukdemir, M. H., Turkoz, M. B., and Tel, E. (2005). Application of the luminescence single-aliquot technique for dose estimation in the Marmara Sea. *Journal of Environmental Radioactivity* **84**, 409-416.
- Tanir, G., Turkoz, M. B., Sencan, E., Bolukdemir, M. H., Tel, E., and Okuducu, S. (2005). Comparison of the decay parameter of the luminescence signal generated by various laboratory radiation doses. *Journal of Radioanalytical and Nuclear Chemistry* **265**, 399-403.
- Valladas, H., Wadley, L., Mercier, N., Froget, L., Tribolo, C., Reyss, J. L., and Joron, J. L. (2005). Thermoluminescence dating on burnt lithics from Middle Stone Age layers at Rose Cottage Cave. *South African Journal of Science* **101**, 169-174.
- Wagner, G. A., Glasmacher, U. A., and Greilich, S. (2005). Spatially resolved dose-rate determination in rocks and ceramics by neutron-induced fission tracks: fundamentals. *Radiation Measurements* **40**, 26-31.
- Wang, X. L., Lu, Y. C., and Zhao, H. (2006). On the performances of the single-aliquot regenerative-dose (SAR) protocol for Chinese loess: fine quartz and polymineral grains. *Radiation Measurements* **41**, 1-8.
- Ward, I. A. K., Nanson, G. C., Head, L. M., Fullagar, R. L. K., Price, D. M., and Fink, D. (2005). Late Quaternary landscape evolution in the Keep River region, northwestern Australia. *Quaternary Science Reviews* **24**, 1906-1922.
- Watanuki, T., Murray, A. S., and Tsukamoto, S. (2005). Quartz and polymineral luminescence dating of Japanese loess over the last 0.6 Ma: comparison with an independent chronology. *Earth and Planetary Science Letters* **240**, 774-789.
- Wencka, M., Hoffmann, S. K., and Hercman, H. (2005). EPR dating of hydroxyapatite from fossil bones: transient effects after gamma and UV irradiation. *Acta Physica Polonica A* **108**, 331-337.
- Wencka, M., Hoffmann, S. K., Krzyminiewski, R., and Mielcarek, S. (2005). Temperature effects in ESR spectra of radical centres in dripstone calcite samples used for ESR dating. *Acta Physica Polonica A* **108**, 491-503.
- Wesnousky, S. G., Barron, A. D., Briggs, R. W., Caskey, S. J., Kumar, S., and Owen, L. (2005). Paleoseismic transect across the northern Great Basin. *Journal of Geophysical Research - Solid Earth* **110**, B05408.
- Wilkinson, K., Gerrard, C. G., Aguilera, I., Bailiff, I. K., and Pope, R. (2005). Prehistoric and historic landscape change in Aragon, Spain: some results from the Moncayo archaeological survey. *Journal of Mediterranean Archaeology* **18**, 31-54.
- Wilkinson, M. T., Chappell, J. T., Humphreys, G. S., Fifield, K., Smith, B., and Hesse, P. (2005). Soil production in heath and forest, Blue Mountains, Australia: influence of lithology and palaeoclimate. *Earth Surface Processes and Landforms* **30**, 923-934.
- Wilkinson, M. T., and Humphreys, G. S. (2005). Exploring pedogenesis via nuclide-based soil production rates and OSL-based bioturbation rates. *Australian Journal of Soil Research* **43**, 767-779.

- Winchester, V., Harrison, S., and Bailey, R. (2005). A 2.5 kyr luminescence date for a terminal moraine in the Leones valley, southern Chile. *Journal of Glaciology* **51**, 186-188.
- Zhang, J. F., Yan, C., and Zhou, L. P. (2005). Feasibility of optical dating using halite. *Journal of Luminescence* **114**, 234-240.
- Zhang, Q., Zhu, C., Jiang, T., and Becker, S. (2005). Mid-Pleistocene environmental reconstruction based on Xiashu loess deposits in the Yangtse Delta, China. *Quaternary International* **135**, 131-137.
- Zhao, H., and Li, S. H. (2005). Internal dose rate to K-feldspar grains from radioactive elements other than potassium. *Radiation Measurements* **40**, 84-93.
- Zhao, J. D., Zhou, S. Z., He, Y. Q., Ye, Y. G., and Liu, S. Y. (2005). ESR dating of glacial tills and glaciations in the Urumqi River headwaters, Tianshan Mountains, China. *Quaternary International* **144**, 61-67.
- Zhou, S. Z., Xu, L. B., Cui, J. X., Zhang, X. W., and Zhao, J. D. (2005). Geomorphologic evolution and environmental changes in the Shaluli Mountain region during the Quaternary. *Chinese Science Bulletin* **50**, 52-57.
- Zink, A., and Porto, E. (2005). Luminescence dating of the Tanagra terracottas of The Louvre collections. *Geochronometria* **24**, 21-26.