

Bibliography

Compiled by Daniel Richter

From 1st April 2013 to 30th November 2013

- Alexanderson, H., Ingólfsson, Ó., Murray, A. S., and Dudek, J. (2013). An interglacial polar bear and an early Weichselian glaciation at Poolepynten, western Svalbard. *Boreas* **42**, 532-543.
- Ankjærgaard, C., Jain, M., and Wallinga, J. (2013). Towards dating Quaternary sediments using the quartz Violet Stimulated Luminescence (VSL) signal. *Quaternary Geochronology* **18**, 99-109.
- Athanassas, C., and Fountoulis, I. (2013). Quaternary Neotectonic Configuration of the Southwestern Peloponnese, Greece, Based on Luminescence Ages of Marine Terraces. *Journal of Earth Science* **24**, 410-427.
- Avcioğlu, M., Erginal, A. E., Kiyak, N. G., Kapan-Yeşilyurt, S., and Yiğitbaş, E. (2013). A preliminary note on depositional characteristics and optical luminescence age of a marine terrace, strait of Çanakkale, Turkey. *Journal of Coastal Research* **29**, 225-230.
- Avni, G., Porat, N., and Avni, Y. (2013). Byzantine-Early Islamic agricultural systems in the Negev Highlands: Stages of development as interpreted through OSL dating. *Journal of Field Archaeology* **38**, 332-346.
- Bailiff, I. K., Lewis, S. G., Drinkall, H. C., and White, M. J. (2013). Luminescence dating of sediments from a Palaeolithic site associated with a solution feature on the North Downs of Kent, UK. *Quaternary Geochronology* **18**, 135-148.
- Balescu, S. (2013). Chronology of Middle Pleistocene loess from Normandy. *Quaternaire* **24**, 237-245.
- Barros, L. F. D. P., and Junior, A. P. M. (2013). Quaternary alluvial sedimentation in the Conceição river valley, southeastern Brazil. *Brazilian Journal of Geology* **43**, 535-554.
- Bates, M., Pope, M., Shaw, A., Scott, B., and Schwenninger, J.-L. (2013). Late Neanderthal occupation in North-West Europe: rediscovery, investigation and dating of a last glacial sediment sequence at the site of La Cotte de Saint Brelade, Jersey. *Journal of Quaternary Science* **28**, 647-652.
- Berger, G. W., Doran, P. T., and Thomsen, K. J. (2013). Micro-hole and multigrain quartz luminescence dating of Paleodeltas at Lake Fryxell, McMurdo Dry Valleys (Antarctica), and relevance for lake history. *Quaternary Geochronology* **18**, 119-134.
- Biswas, R. H., Williams, M. A. J., Raj, R., Juyal, N., and Singhvi, A. K. (2013). Methodological studies on luminescence dating of volcanic ashes. *Quaternary Geochronology* **17**, 14-25.
- Bridgland, D. R., Harding, P., Allen, P., Candy, I., Cherry, C., George, W., Horne, D. J., Keen, D. H., Penkman, K. E. H., Preece, R. C., Rhodes, E. J., Scaife, R., Schreve, D. C., Schwenninger, J.-L., Slipper, I., Ward, G. R., White, M. J., White, T. S., and Whittaker, J. E. (2013). An enhanced record of MIS 9 environments, geochronology and geoarchaeology: data from construction of the High Speed 1 (London–Channel Tunnel) rail-link and other recent investigations at Purfleet, Essex, UK. *Proceedings of the Geologists' Association* **124**, 417-476.
- Buylaert, J. P., Murray, A. S., Gebhardt, A. C., Sohbati, R., Ohlendorf, C., Thiel, C., Wastegård, S., and Zolitschka, B. (2013). Luminescence dating of the PASADO core 5022-1D from Laguna Potrok Aike (Argentina) using IRSL signals from feldspar. *Quaternary Science Reviews* **71**, 70-80.
- Cano, N. F., Turbiani-Filho, I. T., Gennari, R. F., Munita, C. S., Souza, M. C., Angulo, R. J., and Watanabe, S. (2013). TL dating of sediments from Ilha do Mel, Brazil. *Quaternary International* **306**, 137-145.
- Chazan, M., Porat, N., Sumner, T. A., and Horwitz, L. K. (2013). The use of OSL dating in unstructured sands: The archaeology and chronology of the Hutton Sands at Canteen Kopje (Northern Cape Province, South Africa). *Archaeological and Anthropological Sciences* **5**, 351-363.
- Chen, L.-c., Ran, Y.-k., Wang, H., Shi, X., Liu, R.-c., and Dong, S.-p. (2013). Paleoseismology and kinematic characteristics of the Xiaoyudong rupture, a short but significant strange segment characterized by the May 12, 2008, Mw 7.9 earthquake in Sichuan, China. *Tectonophysics* **584**, 91-101.

- Chen, R., and Pagonis, V. (2013). Modeling TL-like thermally assisted optically stimulated luminescence (TA-OSL). *Radiation Measurements* **56**, 6-12.
- Chen, R., and Pagonis, V. (2013). On the expected order of kinetics in a series of thermoluminescence (TL) and thermally stimulated conductivity (TSC) peaks. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **312**, 60-69.
- Chen, Y., Zong, Y., Li, B., Li, S., and Aitchison, J. C. (2013). Shrinking lakes in Tibet linked to the weakening Asian monsoon in the past 8.2 ka. *Quaternary Research* **80**, 189-198.
- Choi, J.-H., Ryu, J.-S., Shin, H., Kim, J., and Cheong, C.-s. (2013). Reevaluation of Th and U concentrations in marine sediment reference materials using isotope dilution MC-ICP-MS: towards the analytical improvements in dose rate estimation for luminescence dating. *Geosciences Journal* **17**, 123-127.
- Chruścińska, A. (2013). Influence of spectral width of stimulation band on the shape of OSL curve. *Radiation Measurements* **56**, 18-22.
- Corcea, C. A., Constantin, D., Anechitei, V., Timar-Gabor, A., and Filipescu, S. (2013). SAR OSL dating of 63-90 µm quartz extracted from an Eemian (presumably lacustrine) sedimentary section at Floreşti on the Someşul Mic Valley. *Carpathian Journal of Earth and Environmental Sciences* **8**, 139-145.
- Corona, A., Perea, D., and McDonald, H. G. (2013). Catonyx cuvieri (Xenarthra, Mylodontidae, Scelidotheriinae) from the late Pleistocene of Uruguay, with comments regarding the systematics of the subfamily. *Journal of Vertebrate Paleontology* **33**, 1214-1225.
- Dawson, M.-C., Bernard-Guelle, S., Rué, M., and Fernandes, P. (2012). New data on the exploitation of flint outcrops during the Middle Palaeolithic: the Mousterian workshop of Chêne Vert at Dirac (Charente, France). *Paléo* **23**, 55-84.
- Dewar, R. E., Radimilahy, C., Wright, H. T., Jacobs, Z., Kelly, G. O., and Berna, F. (2013). Stone tools and foraging in northern Madagascar challenge Holocene extinction models. *Proceedings of the National Academy of Sciences* **110**, 12583-12588.
- Diana, R., Pasquale, B., Valentino, P., Federica, S., Rocco, P., Mariano, D., Donatella, B., and Antonino, O. (2013). SAR TL dating of Neolithic and Medieval ceramics from Lamezia, Calabria (South Italy): A case study. *Mediterranean Archaeology & Archaeometry* **13**, 277-288.
- Dreibrodt, S., Lubos, C., Hofmann, R., MÜller-Scheeßel, N., Richling, I., Nelle, O., Fuchs, M., Rassmann, K., Kujundžić-Vejzagić, Z., Bork, H. R., and Müller, J. (2013). Holocene river and slope activity in the Visoko Basin, Bosnia-Herzegovina – climate and land-use effects. *Journal of Quaternary Science* **28**, 559-570.
- Duval, M., and Arnold, L. J. (2013). Field gamma dose-rate assessment in natural sedimentary contexts using LaBr₃(Ce) and NaI(Tl) probes: A comparison between the “threshold” and “windows” techniques. *Applied Radiation and Isotopes* **74**, 36-45.
- Fan, T., Fan, Y., Zhao, H., Chen, F., and Lai, Z. (2013). Investigations on the degree of bleaching of quartz OSL signals using modern aeolian dust from western Loess Plateau, China. *Geochronometria* **40**, 165-176.
- Fattahi, M., Karimi Moayed, N., Walker, R., and Talebian, M. (2013). Determining the slip rate on the Gowk fault using POST-IR method. *Journal of the Earth and Space Physics* **39**, 13-28.
- Fattahi, M., Walker, R. T., Talebian, M., Sloan, R. A., and Rasheedi, A. (2014). Late Quaternary active faulting and landscape evolution in relation to the Gowk Fault in the South Golbaf Basin, S.E. Iran. *Geomorphology* **204**, 334-343.
- Fiore, M., Soares, E. A. A., Mittani, J. C. R., Yee, M., and Tatumi, S. H. (2014). OSL dating of sediments from Negro and Solimões rivers – Amazon, Brazil. *Radiation Physics and Chemistry* **95**, 113-115.
- Fischer, P., Hilgers, A., Protze, J., Kels, H., Lehmkühl, F., and Gerlach, R. (2012). Formation and geochronology of Last Interglacial to Lower Weichselian loess/palaeosol sequences – case studies from the Lower Rhine Embayment, Germany. *E&G Quaternary Science Journal* **61**, 48–63.
- Fitzsimmons, K. E., Hambach, U., Veres, D., and Iovita, R. (2013). The Campanian Ignimbrite Eruption: New Data on Volcanic Ash Dispersal and Its Potential Impact on Human Evolution. *PLoS ONE* **8**, e65839.

- Fraser, J. A., and Price, D. M. (2013). A thermoluminescence (TL) analysis of ceramics from cairns in Jordan: Using TL to integrate off-site features into regional chronologies. *Applied Clay Science* **82**, 24-30.
- Fu, X., and Li, S.-H. (2013). A modified multi-elevated-temperature post-IR IRSL protocol for dating Holocene sediments using K-feldspar. *Quaternary Geochronology* **17**, 44-54.
- Fuchs, M., Kreutzer, S., Rousseau, D.-D., Antoine, P., Hatté, C., Lagroix, F., Moine, O., Gauthier, C., Svoboda, J., and Lisá, L. (2013). The loess sequence of Dolní Věstonice, Czech Republic: A new OSL-based chronology of the Last Climatic Cycle. *Boreas* **42**, 664-677.
- Fuchs, M. C., Böhlert, R., Krbetschek, M., Preusser, F., and Egli, M. (2013). Exploring the potential of luminescence methods for dating Alpine rock glaciers. *Quaternary Geochronology* **18**, 17-33.
- Gong, Z., Li, S.-H., Sun, J., and Xue, L. (2013). Environmental changes in Hunshandake (Otindag) sandy land revealed by optical dating and multi-proxy study of dune sands. *Journal of Asian Earth Sciences* **76**, 30-36.
- Hanebuth, T. J. J., Kudrass, H. R., Linstädter, J., Islam, B., and Zander, A. M. (2013). Rapid coastal subsidence in the central Ganges-Brahmaputra Delta (Bangladesh) since the 17th century deduced from submerged salt-producing kilns. *Geology* **41**, 987-990.
- Hedrick, K., Owen, L. A., Rockwell, T. K., Meigs, A., Costa, C., Caffee, M. W., Masana, E., and Ahumada, E. (2013). Timing and nature of alluvial fan and strath terrace formation in the Eastern Precordillera of Argentina. *Quaternary Science Reviews* **80**, 143-168.
- Hernandez, M., Mercier, N., Bertran, P., Colonge, D., and Lelouvier, L. A. (2012). First dating results for the Middle Pleistocene industries (Acheulean – Early Middle Palaeolithic) in the Pyrenees – Garonne region: a multi methods geochronological approach (TL, OSL and TT-OSL) of the Duclos and Romentères sites. *Paléo* **23**, 155-170.
- Hipondoka, M. H. T., Mauz, B., Kempf, J., Packman, S., Chiverrell, R. C., and Bloemendal, J. (2014). Chronology of sand ridges and the Late Quaternary evolution of the Etosha Pan, Namibia. *Geomorphology* **204**, 553-563.
- Houben, P., Kühl, N., Dambeck, R., and Overath, J. (2013). Lateglacial to Holocene rapid crater infilling of a MIS 2 maar volcano (West-Eifel Volcanic Field, Germany): environmental history and geomorphological feedback mechanisms. *Boreas* **42**, 947-958.
- Huang, C. C., Pang, J., Zhou, Y., Su, H., Zhang, Y., and Wang, L. (2013). Palaeoenvironmental implications of the prehistorical catastrophes in relation to the Lajia Ruins within the Guanting Basin along the Upper Yellow River, China. *The Holocene* **23**, 1584-1595.
- Jiang, H., Mao, X., Xu, H., Yang, H., Ma, X., Zhong, N., and Li, Y. (2014). Provenance and earthquake signature of the last deglacial Xinmocun lacustrine sediments at Diexi, East Tibet. *Geomorphology* **204**, 518-531.
- Kang, S., Wang, X., and Lu, Y. (2013). Quartz OSL chronology and dust accumulation rate changes since the Last Glacial at Weinan on the southeastern Chinese Loess Plateau. *Boreas* **42**, 815-829.
- Karabacak, V., Yönlü, Ö., Dökü, E., Kiyak, N. G., Altunel, E., Özüdoğru, Ş., Yalçiner, C. Ç., and Akyüz, H. S. (2013). Analyses of Seismic Deformation at the Kibyra Roman Stadium, Southwest Turkey. *Geoarchaeology* **28**, 531-543.
- Kehl, M., Burow, C., Hilgers, A., Navazo, M., Pastoors, A., Weniger, G.-C., Wood, R., and Jordá Pardo, J. F. (2013). Late Neanderthals at Jarama VI (central Iberia)? *Quaternary Research* **80**, 218-234.
- Kermode, S. J., Gibling, M. R., Jones, B. G., Cohen, T. J., Price, D. M., and Daley, J. S. (2013). Determining the impact of the Holocene highstand at the coastal-fluvial interface, Shoalhaven River, south-eastern Australia. *Earth Surface Processes and Landforms* **38**, 1481-1495.
- Kijek, N., Chruścińska, A., and Przegiętka, K. R. (2013). On the dependence of equivalent dose on temperature of OSL measurements for sediment quartz grains and its implication in dating practice. *Radiation Measurements* **56**, 252-256.
- King, G. E., Robinson, R. A. J., and Finch, A. A. (2013). Apparent OSL ages of modern deposits from Fåbergstølsdalen, Norway: implications for sampling glacial sediments. *Journal of Quaternary Science* **28**, 673-682.

- Kinnaird, T., and Robertson, A. (2013). Tectonic and sedimentary response to subduction and incipient continental collision in southern cyprus, easternmost mediterranean region. *Geological Society Special Publication* **372**, 585-614.
- Kiss, T., Sümeghy, B., and Sipos, G. (2014). Late Quaternary paleodrainage reconstruction of the Maros River alluvial fan. *Geomorphology* **204**, 49-60.
- Klasen, N., Hilgers, A., Schmidt, C., Bertrams, M., Schyle, D., Lehmkuhl, F., Richter, J., and Radtke, U. (2013). Optical dating of sediments in Wadi Sabra (SW Jordan). *Quaternary Geochronology* **18**, 9-16.
- Kliem, P., Buylaert, J. P., Hahn, A., Mayr, C., Murray, A. S., Ohlendorf, C., Veres, D., Wastegård, S., and Zolitschka, B. (2013). Magnitude, geomorphologic response and climate links of lake level oscillations at Laguna Potrok Aike, Patagonian steppe (Argentina). *Quaternary Science Reviews* **71**, 131-146.
- Kuerten, S., Parolin, M., Assine, M. L., and McGlue, M. M. (2013). Sponge spicules indicate Holocene environmental changes on the Nabileque River floodplain, southern Pantanal, Brazil. *Journal of Paleolimnology* **49**, 171-183.
- Kuneš, P., Kjærsgaard Sørensen, M., Buylaert, J.-P., Murray, A. S., Houmark-Nielsen, M., and Odgaard, B. V. (2013). A new Middle Pleistocene interglacial record from Denmark: Chronostratigraphic correlation, palaeovegetation and fire dynamics. *Boreas* **42**, 596-612.
- Lacelle, D., Davila, A. F., Fisher, D., Pollard, W. H., DeWitt, R., Heldmann, J., Marinova, M. M., and McKay, C. P. (2013). Excess ground ice of condensation-diffusion origin in University Valley, Dry Valleys of Antarctica: Evidence from isotope geochemistry and numerical modeling. *Geochimica et Cosmochimica Acta* **120**, 280-297.
- Lail, W., Sammeth, D., Mahan, S., and Nevins, J. (2013). A Non-Destructive Method for Dating Human Remains. *Advances in Archaeological Practice* **1**, 91-103.
- Langgut, D., Gadot, Y., Porat, N., and Lipschits, O. (2013). Fossil pollen reveals the secrets of the Royal Persian Garden at Ramat Rahel, Jerusalem. *Palynology* **37**, 115-129.
- Larsen, A., Bork, H.-R., Fuelling, A., Fuchs, M., and Larsen, J. R. (2013). The processes and timing of sediment delivery from headwaters to the trunk stream of a Central European mountain gully catchment. *Geomorphology* **201**, 215-226.
- Leighton, C. L., Bailey, R. M., and Thomas, D. S. G. (2013). The utility of desert sand dunes as Quaternary chronostratigraphic archives: evidence from the northeast Rub' al Khali. *Quaternary Science Reviews* **78**, 303-318.
- Lemdahl, G., Broström, A., HedenÅS, L., Arvidsson, K., Holmgren, S., Gaillard, M.-J., and MÖller, P. E. R. (2013). Eemian and Early Weichselian environments in southern Sweden: a multi-proxy study of till-covered organic deposits from the Småland peneplain. *Journal of Quaternary Science* **28**, 705-719.
- Lepper, K., Buell, A. W., Fisher, T. G., and Lowell, T. V. (2013). A chronology for glacial Lake Agassiz shorelines along Upham's namesake transect. *Quaternary Research* **80**, 88-98.
- Li, B., Jacobs, Z., Roberts, R. G., and Li, S.-H. (2013). Extending the age limit of luminescence dating using the dose-dependent sensitivity of MET-pIRIR signals from K-feldspar. *Quaternary Geochronology* **17**, 55-67.
- Li, B., Roberts, R. G., and Jacobs, Z. (2013). On the dose dependency of the bleachable and non-bleachable components of IRSL from K-feldspar: Improved procedures for luminescence dating of Quaternary sediments. *Quaternary Geochronology* **17**, 1-13.
- Litwin, R. J., Smoot, J. P., Pavich, M. J., Markewich, H. W., Brook, G., and Durika, N. J. (2013). 100,000-year-long terrestrial record of millennial-scale linkage between eastern North American mid-latitude paleovegetation shifts and Greenland ice-core oxygen isotope trends. *Quaternary Research* **80**, 291-315.
- Liu, D., Chen, G., Lai, Z., Weis, H., Zhou, G., and Peng, M. (2013). Late Glacial and Holocene vegetation and climate history of an alpine wetland on the Qinghai-Tibetan Plateau. *Geological Quarterly* **57**, 261-268.
- Lyons, R., Tooth, S., and Duller, G. A. T. (2013). Chronology and controls of donga (gully) formation in the upper Blood River catchment, KwaZulu-Natal, South Africa: Evidence for a climatic driver of erosion. *The Holocene* **23**, 1875-1887.

- Madole, R. F., Mahan, S. A., Romig, J. H., and Havens, J. C. (2013). Constraints on the age of the Great Sand Dunes, Colorado, from subsurface stratigraphy and OSL dates. *Quaternary Research* **80**, 435-446.
- Meier, H. A., Nordt, L. C., Forman, S. L., and Driese, S. G. (2013). Late Quaternary alluvial history of the middle Owl Creek drainage basin in central Texas: A record of geomorphic response to environmental change. *Quaternary International* **306**, 24-41.
- Mercier, N., Valladas, H., Falguères, C., Shao, Q., Gopher, A., Barkai, R., Bahain, J.-J., Viallettes, L., Joron, J.-L., and Reyss, J.-L. (2013). New datings of Amudian layers at Qesem Cave (Israel): results of TL applied to burnt flints and ESR/U-series to teeth. *Journal of Archaeological Science* **40**, 3011-3020.
- Meyer, M. C., Austin, P., and Tropper, P. (2013). Quantitative evaluation of mineral grains using automated SEM-EDS analysis and its application potential in optically stimulated luminescence dating. *Radiation Measurements* **58**, 1-11.
- Mishra, S., Chauhan, N., and Singhvi, A. K. (2013). Continuity of Microblade Technology in the Indian Subcontinent Since 45 ka: Implications for the Dispersal of Modern Humans. *PLoS ONE* **8**, e69280.
- Muhs, D. R., Bettis III, E. A., Roberts, H. M., Harlan, S. S., Paces, J. B., and Reynolds, R. L. (2013). Chronology and provenance of last-glacial (Peoria) loess in western Iowa and paleoclimatic implications. *Quaternary Research* **80**, 468-481.
- Muñoz-Salinas, E., Castillo, M., Sanderson, D., and Kinnaird, T. (2013). Unraveling paraglacial activity on Sierra de Gredos, Central Spain: A study based on geomorphic markers, stratigraphy and OSL. *Catena* **110**, 207-214.
- Nawaz Ali, S., Biswas, R. H., Shukla, A. D., and Juyal, N. (2013). Chronology and climatic implications of Late Quaternary glaciations in the Goriganga valley, central Himalaya, India. *Quaternary Science Reviews* **73**, 59-76.
- Necea, D., Fielitz, W., Kadereit, A., Andriessen, P. A. M., and Dinu, C. (2013). Middle Pleistocene to Holocene fluvial terrace development and uplift-driven valley incision in the SE Carpathians, Romania. *Tectonophysics* **602**, 332-354.
- Ninis, D., Little, T. A., Van Dissen, R. J., Litchfield, N. J., Smith, E. G. C., Wang, N., Rieser, U., and Henderson, C. M. (2013). Slip rate on the Wellington fault, New Zealand, during the late quaternary: Evidence for variable slip during the Holocene. *Bulletin of the Seismological Society of America* **103**, 559-579.
- Ortega, B., Schaaf, P., Murray, A.S., Caballero, M., Lozano, S., and Ramirez, A. (2013). Eolian deposition cycles since AD 500 in Playa San Bartolo lunette dune, Sonora, Mexico: Paleoclimatic implications. *Aeolian Research* **11**, 1-13.
- Pagonis, V., Chithambo, M. L., Chen, R., Chruścińska, A., Fasoli, M., Li, S. H., Martini, M., and Ramseyer, K. (2014). Thermal dependence of luminescence lifetimes and radioluminescence in quartz. *Journal of Luminescence* **145**, 38-48.
- Panzeri, L. (2013). Mortar and surface dating with optically stimulated luminescence (OSL): Innovative techniques for the age determination of buildings. *Nuovo Cimento della Societa Italiana di Fisica C* **36**, 205-216.
- Pappalardo, M., Chelli, A., Ciampalini, A., Rellini, I., Biagiioni, F., Brückner, H., Fülling, A., and Firpo, M. (2013). Evolution of an Upper Pleistocene aeolianite in the northern Mediterranean (Liguria, NW Italy). *Italian Journal of Geosciences* **132**, 290-303.
- Parham, P. R., Riggs, S. R., Culver, S. J., Mallinson, D. J., Rink, W. J., and Burdette, K. (2013). Quaternary coastal lithofacies, sequence development and stratigraphy in a passive margin setting, North Carolina and Virginia, USA. *Sedimentology* **60**, 503-547.
- Pederson, J., Burnside, N., Shipton, Z., and Rittenour, T. (2013). Rapid river incision across an inactive fault—Implications for patterns of erosion and deformation in the central Colorado Plateau. *Lithosphere* **5**, 513-520.
- Pesce, G. L., Micheletto, E., Quarta, G., Uggè, S., Calcagnile, L., and Decri, A. (2013). Radiocarbon dating of mortars from the baptismal font of the San Lorenzo cathedral of Alba (Cuneo, Italy): Comparison with thermoluminescence dating of related bricks and pipes. *Radiocarbon* **55**, 526-533.
- Plotzki, A., May, J. H., Preusser, F., and Veit, H. (2013). Geomorphological and sedimentary evidence for late Pleistocene to Holocene hydrological change along the Río Mamoré, Bolivian Amazon. *Journal of South American Earth Sciences* **47**, 230-242.

- Przegiętka, K. R., and Chruścińska, A. (2013). Analysis of optical bleaching of OSL signal in sediment quartz. *Radiation Measurements* **56**, 257-261.
- Reddy, D. V., Singaraju, V., Mishra, R., Kumar, D., Thomas, P. J., Rao, K. K., and Singhvi, A. K. (2013). Luminescence chronology of the inland sand dunes from SE India. *Quaternary Research* **80**, 265-273.
- Ren, J., Xu, X., Yeats, R. S., and Zhang, S. (2013). Latest Quaternary paleoseismology and slip rates of the Longriba fault zone, eastern Tibet: Implications for fault behavior and strain partitioning. *Tectonics* **32**, 216-238.
- Ren, J., Xu, X., Yeats, R. S., and Zhang, S. (2013). Millennial slip rates of the Tazang fault, the eastern termination of Kunlun fault: Implications for strain partitioning in eastern Tibet. *Tectonophysics* **608**, 1180-1200.
- Rink, W. J., Mercier, N., Mihailovic, D., Morley, M. W., Thompson, J. W., and Roksandic, M. (2013). New Radiometric Ages for the BH-1 Hominin from Balanica (Serbia): Implications for Understanding the Role of the Balkans in Middle Pleistocene Human Evolution. *Plos One* **8**.
- Ristuccia, G. M., Di Stefano, A., Gueli, A. M., Monaco, C., Stella, G., and Troja, S. O. (2013). OSL chronology of Quaternary terraced deposits outcropping between Mt. Etna volcano and the Catania Plain (Sicily, southern Italy). *Physics and Chemistry of the Earth, Parts A/B/C* **63**, 36-46.
- Roqué, C., Linares, R., Zarroca, M., Rosell, J., Pellicer, X. M., and Gutiérrez, F. (2013). Chronology and paleoenvironmental interpretation of talus flatiron sequences in a sub-humid mountainous area: Tremp Depression, Spanish Pyrenees. *Earth Surface Processes and Landforms* **38**, 1513-1522.
- Roskin, J., Katra, I., Porat, N., and Zilberman, E. (2013). Evolution of Middle to Late Pleistocene sandy calcareous paleosols underlying the northwestern Negev Desert Dunefield (Israel). *Palaeogeography, Palaeoclimatology, Palaeoecology* **387**, 134-152.
- Schmidt, C., Sitlivy, V., Anghelinu, M., Chabai, V., Kels, H., Uthmeier, T., Hauck, T., Băltean, I., Hilgers, A., Richter, J., and Radtke, U. (2013). First chronometric dates (TL and OSL) for the Aurignacian open-air site of Româneşti-Dumbrăviţa I, Romania. *Journal of Archaeological Science* **40**, 3740-3753.
- Simkins, L. M., Simms, A. R., and DeWitt, R. (2013). Relative sea-level history of Marguerite Bay, Antarctic Peninsula derived from optically stimulated luminescence-dated beach cobbles. *Quaternary Science Reviews* **77**, 141-155.
- Simms, A. R., Anderson, J. B., DeWitt, R., Lambeck, K., and Purcell, A. (2013). Quantifying rates of coastal subsidence since the last interglacial and the role of sediment loading. *Global and Planetary Change* **111**, 296-308.
- Simón, J. L., Pérez-Cueva, A. J., and Calvo-Cases, A. (2013). Tectonic beheading of fluvial valleys in the Maestrat grabens (eastern Spain): Insights into slip rates of Pleistocene extensional faults. *Tectonophysics* **593**, 73-84.
- Soressi, M., McPherron, S. P., Lenoir, M., Dogandžić, T., Goldberg, P., Jacobs, Z., Maigrot, Y., Martisius, N. L., Miller, C. E., Rendu, W., Richards, M., Skinner, M. M., Steele, T. E., Talamo, S., and Texier, J.-P. (2013). Neandertals made the first specialized bone tools in Europe. *Proceedings of the National Academy of Sciences* **110**, 14186-14190.
- Spiske, M., Piepenbreier, J., Benavente, C., Kunz, A., Bahlburg, H., and Steffahn, J. (2013). Historical tsunami deposits in Peru: Sedimentology, inverse modeling and optically stimulated luminescence dating. *Quaternary International* **305**, 31-44.
- Srivastava, P., Kumar, A., Mishra, A., Meena, N. K., Tripathi, J. K., Sundriyal, Y. P., Agnihotri, R., and Gupta, A. K. (2013). Early Holocene monsoonal fluctuations in the Garhwal higher Himalaya as inferred from multi-proxy data from the Malari paleolake. *Quaternary Research* **80**, 447-458.
- Srivastava, P., Ray, Y., Phartiyal, B., and Sharma, A. (2013). Late Pleistocene-Holocene morphosedimentary architecture, Spiti River, arid higher Himalaya. *International Journal of Earth Sciences* **102**, 1967-1984.
- Stamm, J. F., Hendricks, R. R., Sawyer, J. F., Mahan, S. A., Zaprowski, B. J., Geibel, N. M., and Azzolini, D. C. (2013). Late Quaternary stream piracy and strath terrace formation along the Belle Fourche and lower Cheyenne Rivers, South Dakota and Wyoming. *Geomorphology* **197**, 10-20.
- Starnberger, R., Rodnight, H., and Spötl, C. (2013). Luminescence dating of fine-grain lacustrine sediments from the late Pleistocene Unterangerberg site (Tyrol, Austria). *Austrian Journal of Earth Sciences* **106**, 4-15.

- Stella, G., Fontana, D., Gueli, A., and Troja, S. (2013). Historical mortars dating from OSL signals of fine grain fraction enriched in quartz. *Geochronometria* **40**, 153-164.
- Stevens, T., Adamiec, G., Bird, A. F., and Lu, H. (2013). An abrupt shift in dust source on the Chinese Loess Plateau revealed through high sampling resolution OSL dating. *Quaternary Science Reviews* **82**, 121-132.
- Swezey, C. S., Schultz, A. P., González, W. A., Bernhardt, C. E., Doar Iii, W. R., Garrity, C. P., Mahan, S. A., and McGeehin, J. P. (2013). Quaternary eolian dunes in the Savannah River valley, Jasper County, South Carolina, USA. *Quaternary Research* **80**, 250-264.
- Timar-Gabor, A., and Wintle, A. G. (2013). On natural and laboratory generated dose response curves for quartz of different grain sizes from Romanian loess. *Quaternary Geochronology* **18**, 34-40.
- Tooth, S., McCarthy, T., Rodnight, H., Keen-Zebert, A., Rowberry, M., and Brandt, D. (2014). Late Holocene development of a major fluvial discontinuity in floodplain wetlands of the Blood River, eastern South Africa. *Geomorphology* **205**, 128-141.
- Tribolo, C., Mercier, N., Douville, E., Joron, J. L., Reyss, J. L., Rufer, D., Cantin, N., Lefrais, Y., Miller, C. E., Porraz, G., Parkington, J., Rigaud, J. P., and Texier, P. J. (2013). OSL and TL dating of the Middle Stone Age sequence at Diepkloof Rock Shelter (South Africa): a clarification. *Journal of Archaeological Science* **40**, 3401-3411.
- Trindade, M. J., Prudencio, M. I., Sanjurjo-Sanchez, J., Romani, J. R. V., Ferraz, T., Fernandez Mosquerra, D., and Dias, M. I. (2013). Post-depositional processes of elemental enrichment inside dark nodular masses of an ancient aeolian dune from A Coruna, Northwest Spain. *Geologica Acta* **11**, 231-244.
- Tripaldi, A., Zárate, M. A., Forman, S. L., Badger, T., Doyle, M. E., and Ciccioli, P. (2013). Geological evidence for a drought episode in the western Pampas (Argentina, South America) during the early–mid 20th century. *The Holocene* **23**, 1731-1746.
- van Gorp, W., Veldkamp, A., Temme, A. J. A. M., Maddy, D., Demir, T., van der Schriek, T., Reimann, T., Wallinga, J., Wijbrans, J., and Schoorl, J. M. (2013). Fluvial response to Holocene volcanic damming and breaching in the Gediz and Geren rivers, western Turkey. *Geomorphology* **201**, 430-448.
- Wacha, L., Galović, L., Koloszár, L., Magyari, A., Chikán, G., and Marsi, I. (2013). The chronology of the Šarengrad II loess-palaeosol section (Eastern Croatia). *Geologia Croatica* **66**, 191-203.
- Wallinga, J., van Mourik, J. M., and Schilder, M. L. M. (2013). Identifying and dating buried micropodzols in Subatlantic polycyclic drift sands. *Quaternary International* **306**, 60-70.
- Wang, X., Vandenberghe, D., Yi, S., Vandenberghe, J., Lu, H., Van Balen, R., and Van den Haute, P. (2013). Late Quaternary paleoclimatic and geomorphological evolution at the interface between the Menyuan basin and the Qilian Mountains, northeastern Tibetan Plateau. *Quaternary Research* **80**, 534-544.
- Weckwerth, P., Przegietka, K. R., Chruscinska, A., and Pisarska-Jamrozy, M. (2013). The relation between optical bleaching and sedimentological features of fluvial deposits in the Torun Basin (Poland). *Geological Quarterly* **57**, 31-44.
- Westaway, M. C., Cupper, M. L., Johnston, H., and Graham, I. (2013). The Willandra Fossil Trackway: Assessment of ground penetrating radar survey results and additional OSL dating at a unique Australian site. *Australian Archaeology* **76**, 84-89.
- Whitfield, R. G., Macklin, M. G., Brewer, P. A., Lang, A., Mauz, B., and Whitfield, E. (2013). The nature, timing and controls of the Quaternary development of the Rio Bergantes, Ebro basin, northeast Spain. *Geomorphology* **196**, 106-121.
- Williams, A. N., Mitchell, P., Wright, R. V. S., and Toms, P. S. (2013). A terminal Pleistocene open site on the Hawkesbury River, Pitt town, New South Wales. *Australian Archaeology* **74**, 85-97.
- Williams, G. E., Gostin, V. A., and Prescott, J. R. (2013). Stratigraphy and optical dating of Pleistocene coastal deposits in the Port Campbell australite strewn field, SW Victoria. *Australian Journal of Earth Sciences* **60**, 463-474.
- Wróblewski, R., Fedorowicz, S., and Kamieńska, K. (2013). Holocene sediments of the Ustka Cliff (Northern Poland) in view of radiometric dating. *Geochronometria* **40**, 187-194.

- Yang, X., Wang, X., Liu, Z., Li, H., Ren, X., Zhang, D., Ma, Z., Rioual, P., Jin, X., and Scuderi, L. (2013). Initiation and variation of the dune fields in semi-arid China – with a special reference to the Hunshandake Sandy Land, Inner Mongolia. *Quaternary Science Reviews* **78**, 369-380.
- Yildirim, C., Melnick, D., Ballato, P., Schildgen, T. F., Echtler, H., Erginal, A. E., Kiyak, N. G., and Strecker, M. R. (2013). Differential uplift along the northern margin of the Central Anatolian Plateau: inferences from marine terraces. *Quaternary Science Reviews* **81**, 12-28.
- Zhang, J., and Cunningham, D. (2013). Polyphase transpressional development of a NNE-striking basement-cored anticline in the Xining Basin, northeastern Qinghai-Tibetan Plateau. *Geological Magazine* **150**, 626-638.
- Zhang, Y., Huang, C. C., Pang, J., Zha, X., Zhou, Y., and Gu, H. (2013). Holocene paleofloods related to climatic events in the upper reaches of the Hanjiang River valley, middle Yangtze River basin, China. *Geomorphology* **195**, 1-12.
- Zhao, J., Yin, X., Harbor, J. M., Lai, Z., Liu, S., and Li, Z. (2013). Quaternary glacial chronology of the Kanas River valley, Altai Mountains, China. *Quaternary International* **311**, 44-53.
- Zheng, W. J., Zhang, P. Z., Ge, W. P., Molnar, P., Zhang, H. P., Yuan, D. Y., and Liu, J. H. (2013). Late Quaternary slip rate of the South Heli Shan Fault (northern Hexi Corridor, NW China) and its implications for northeastward growth of the Tibetan Plateau. *Tectonics* **32**, 271-293.
- Zular, A., Sawakuchi, A. O., Guedes, C. C. F., Mendes, V. R., Nascimento, D. R., Jr., Giannini, P. C. F., Aguiar, V. A. P., and DeWitt, R. (2013). Late Holocene intensification of cold fronts in southern Brazil as indicated by dune development and provenance changes in the Sao Francisco do Sul coastal barrier. *Marine Geology* **335**, 64-77.

Papers from the 3rd Asia Pacific LED 2012, published in Geochronometria 40/4

- Alappat, L., Seralathan, P., Shukla, A., Thrivikramji, K., and Singhvi, A. (2013). Chronology of red dune aggradations of South India and its Palaeo-environmental significance. *Geochronometria* **40**, 274-282.
- Biswas, R., and Singhvi, A. (2013). Anomalous fading and crystalline structure: Studies on individual chondrules from the same parent body. *Geochronometria* **40**, 250-257.
- Chen, Y., Li, S.-H., and Li, B. (2013). Residual doses and sensitivity change of post IR IRSL signals from potassium feldspar under different bleaching conditions. *Geochronometria* **40**, 229-238.
- De Sarkar, S., Mathew, G., Pande, K., Chauhan, N., and Singhvi, A. (2013). Rapid denudation of Higher Himalaya during late Pliocene, evidence from OSL thermochronology. *Geochronometria* **40**, 304-310.
- Joannes-Boyau, R. (2013). Detailed protocol for an accurate non-destructive direct dating of tooth enamel fragment using Electron Spin Resonance. *Geochronometria* **40**, 322-333.
- Kayama, M., Nishido, H., Toyoda, S., Komuro, K., Finch, A., Lee, M., and Ninagawa, K. (2013). Response of cathodoluminescence of alkali feldspar to He+ ion implantation and electron irradiation. *Geochronometria* **40**, 244-249.
- Liu, C.-R., Yin, G.-M., Fang, F., Voinchet, P., Deng, C.-L., Han, F., Li, J.-P., Song, W.-J., Wang, D., and Bahain, J.-J. (2013). ESR dating of the Donggutuo Palaeolithic site in the Nihewan Basin, northern China. *Geochronometria* **40**, 348-354.
- Nishido, H., Endo, T., Ninagawa, K., Kayama, M., and Gucsik, A. (2013). Thermal effects on cathodoluminescence in forsterite. *Geochronometria* **40**, 239-243.
- Richter, D., Richter, A., and Dornich, K. (2013). lexsyg - a new system for luminescence research. *Geochronometria* **40**, 220-228.
- Schielein, P., and Lomax, J. (2013). The effect of fluvial environments on sediment bleaching and Holocene luminescence ages — A case study from the German Alpine Foreland. *Geochronometria* **40**, 283-293.

- Shimada, A., Takada, M., and Toyoda, S. (2013). Characteristics of ESR signals and TLCLs of quartz included in various source rocks and sediments in Japan: A clue to sediment provenance. *Geochronometria* **40**, 334-340.
- Shitaoka, Y., and Nagatomo, T. (2013). OSL dating using quartz fine grains extracted from loess in Upper Palaeolithic sites of Nihewan Basin, northern China. *Geochronometria* **40**, 311-316.
- Soni, A., Mishra, D., Bhatt, B., Gupta, S., Rawat, N., Kulkarni, M., and Sharma, D. (2013). Thermally assisted OSL: A potent tool for improvement in minimum detectable dose and extension of dose range of $\text{Al}_2\text{O}_3:\text{C}$. *Geochronometria* **40**, 258-265.
- Tsukamoto, S., Kataoka, K., and Miyabuchi, Y. (2013). Luminescence dating of volcanogenic outburst flood sediments from Aso volcano and tephric loess deposits, southwest Japan. *Geochronometria* **40**, 294-303.
- Varma, V., Biswas, R., and Singhvi, A. (2013). Aspects of Infrared Radioluminescence dosimetry in K-feldspar. *Geochronometria* **40**, 266-273.
- Voinchet, P., Yin, G., Falguères, C., Liu, C., Han, F., Sun, X., and Bahain, J. (2013). ESR dose response of Al center measured in quartz samples from the Yellow River (China): Implications for the dating of Upper Pleistocene sediment. *Geochronometria* **40**, 341-347.
- Wu, Y., Jin, Z., Fan, A., and Fang, H. (2013). Firing temperature of a clay core sample in a bronze tripod from Daxinzhuang Site in China using TL techniques. *Geochronometria* **40**, 317-321.
- Yamamoto, Y., Toyoda, S., Nagasima, K., Igarashi, Y., and Tada, R. (2013). Investigation of the temporal change of the sources of Aeolian dust delivered to East Asia using electron spin resonance signals in quartz. *Geochronometria* **40**, 355-359.

