

Dim ond gan 'Grwpiau sy'n eithriadol o agored i niwed yn glinigol (risg uchel)' a 'Grwpiau sy'n agored i niwed yn glinigol (risg canolig)' y bydd y Brifysgol yn ystyried ceisiadau i 'Astudio Gartref'.

Dyma'r grwpiau sy'n eithriadol o agored i niwed yn glinigol (risg uchel): -

- Pobl sydd wedi cael trawsblaniad organ solet
- Pobl â mathau penodol o ganser:
- Pobl â chanser sy'n derbyn triniaeth gemotherapi weithredol neu radiotherapi radical ar gyfer canser yr ysgyfaint
- Pobl â chanser y gwaed neu fêr esgyrn megis lewcemia, lymffoma neu myeloma, ni waeth ym mha gyfnod o'u triniaeth y maent
- Pobl sy'n cael imiwnotherapi neu driniaethau eraill parhaus â gwrthgyrff ar gyfer canser
- Pobl sy'n cael triniaethau canser eraill wedi'u targedu a all effeithio ar y system imiwnedd, megis atalyddion cinasau proteinau neu atalyddion PARP
- Pobl sydd wedi cael trawsblaniad mêr esgyrn neu bôn-gelloedd yn y 6 mis diwethaf, neu bobl sy'n dal i gymryd cyffuriau atal imiwnedd
- Pobl â chyflyrau anadlol difrifol gan gynnwys pob ffeibrosis systig, asthma difrifol a chlefyd rhwystrol cronig difrifol yr ysgyfaint (COPD)
- Pobl â chlefyd difrifol mewn un organ (e.e. clefyd yr iau/afu, clefyd cardiofasgiwlaidd, clefyd arenol, neu glefyd niwrolegol).
- Pobl â chlefydau anghyffredin a gwallau cynhenid mewn metabolaeth sy'n cynyddu'n sylweddol y risg o heintiau (fel diffyg imiwnedd cyfun difrifol (SCID), clefyd y crymangelloedd mewn unigolion homosygaidd).
- Pobl ar therapïau atal imiwnedd sy'n ddigon i gynyddu'r risg o haint yn sylweddol.
- Merched beichiog sydd â graddau sylweddol o glefyd ar y galon, boed yn glefyd cynhenid neu fel arall.
- Plant hyd at 18 oed sydd â graddau sylweddol o glefyd ar y galon, boed yn glefyd cynhenid neu fel arall.

Dyma'r grwpiau sy'n agored i niwed yn glinigol (risg canolig): -

- pobl sy'n 70 oed neu'n hŷn
- pobl sydd â chyflwr ar yr ysgyfaint nad yw'n ddifrifol (megis asthma, COPD, emffysema neu fronicitis)
- pobl sydd â chlefyd y galon (megis methiant y galon)
- pobl sydd â diabetes
- pobl sydd â chlefyd cronig yn yr arenau
- pobl sydd â chlefyd yr iau/afu (megis hepatitis)

Request to 'Study from Home' will only be considered by 'Extremely clinical vulnerable groups (high risk)', and, 'Clinically vulnerable groups (moderate risk)'.

Extremely clinical vulnerable groups (high risk) are: -

- Solid organ transplant recipients
- People with specific cancers:
- People with cancer who are undergoing active chemotherapy or radical radiotherapy for lung cancer
- People with cancers of the blood or bone marrow such as leukaemia, lymphoma or myeloma who are at any stage of treatment
- People having immunotherapy or other continuing antibody treatments for cancer
- People having other targeted cancer treatments which can affect the immune system, such as protein kinase inhibitors or PARP inhibitors
- People who have had bone marrow or stem cell transplants in the last 6 months, or who are still taking immunosuppression drugs
- People with severe respiratory conditions including all cystic fibrosis, severe asthma and severe Chronic Obstructive Pulmonary Disease (COPD)
- People with severe single organ disease (e.g. Liver, Cardio, Renal, Neurological).
- People with rare diseases and inborn errors of metabolism that significantly increase the risk of infections (such as Severe Combined Immunodeficiency (SCID), homozygous sickle cell).
- People on immunosuppression therapies sufficient to significantly increase risk of infection.
- Pregnant women with significant heart disease, congenital or acquired.
- Children up to the age of 18 with significant heart disease, congenital or acquired.

Clinically vulnerable groups (moderate risk) are: -

- are 70 or older
- have a lung condition that's not severe (such as asthma, COPD, emphysema or bronchitis)
- have heart disease (such as heart failure)
- have diabetes
- have chronic kidney disease
- have liver disease (such as hepatitis)
- have a condition affecting the brain or nerves (such as Parkinson's disease, motor neurone disease, multiple sclerosis or cerebral palsy)

- pobl sydd â chyflwr sy'n effeithio ar yr ymennydd neu'r nerfau (megis clefyd Parkinson, clefyd niwronau motor, sglerosis ymledol neu barlys yr ymennydd)
- pobl sydd â chyflwr sy'n golygu bod eu risg o ddal heintiau yn sylweddol
- pobl sy'n cymryd meddyginiaeth a all effeithio ar eu system imiwnedd (megis triniaeth steroid dos isel)
- pobl sy'n ordew iawn (BMI sy'n 40 neu'n uwch)
- merched beichiog.

- have a condition that means they have a high risk of getting infections
- are taking medicine that can affect the immune system (such as low doses of steroids)
- are very obese (a BMI of 40 or above)
- are pregnant